



MATERIAL SAFETY DATA SHEET

SECTION 1

CHEMICAL NAME:
TRADE NAME:

IDENTIFICATION OF PRODUCT

POLYOLEFIN COATED WOVEN FABRIC
BREATHE EZ® BUILDING WRAP

SECTION 2

INGREDIENT NAME
POLYOLEFIN
ADDITIVES (PROPRIETARY)

HAZARDOUS INGREDIENTS

NOT A WHMIS CONTROLLED PRODUCT
WT%
> 97
< 3

SECTION 3

PHYSICAL STATE:
ODOUR & APPEARANCE:
ODOUR THRESHOLD:
VAPOUR PRESSURE:
VAPOUR DENSITY:
EVAPORATION RATE:
SPECIFIC GRAVITY:
BOILING POINT:
FREEZING POINT:
PH:
COEFFICIENT OF WATER/
OIL DISTRIBUTION:
MELTING POINT:

PHYSICAL DATA

SOLID
ODOUR FREE & COATED WOVEN FABRIC SHEET
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
239[°] F TO 266[°] F (115[°] C TO 130[°] C)



SECTION 4 – A

FIRE AND EXPLOSION HAZARD DATA

CONDITIONS OF FLAMMABILITY:	MATERIAL IS A COMBINATION OF POLYPROPYLENE AND POLYETHYLENE AND OLEFIN MASTERBATCH.
MEANS OF EXTINCTION:	WATER SPRAY, "ALCOHOL" FOAM CARBON DIOXIDE, DRYCHEMICAL.
FLASHPOINT:	650° F (343° C)
UPPER FLAMMABILITY LIMIT:	N/A
LOWER FLAMMABILITY LIMIT:	N/A
AUTO-IGNITION TEMPERATURE:	630° F TO 775° F (330° C TO 410° C)
HAZARDOUS COMBUSTION PRODUCTS:	CARBON DIOXIDE, CARBON MONOXIDE, ALDEHYDES, AND SMALL AMOUNTS OF OTHER ORGANIC VAPOURS MAY BE PRODUCED
	SENSITIVITY TO MECHANICAL
IMPACT:	NOT SENSITIVE
SENSITIVITY TO STATIC DISCHARGE:	N/A

SECTION 4 – B

HAZARDOUS REACTIVITY DATA

WHEN HEATED TO DECOMPOSITION, IT MAY EMIT TOXIC FUMES. CARBON MONOXIDE, CARBON DIOXIDE, ACROLEIN, KEYTONES, ALDEHYDES, AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON COMBUSTION

SECTION 5

STABILITY DATA

CONDITION WHEN CHEMICALLY UNSTABLE:	N/A
INCOMPATIBLE MATERIALS:	N/A
CONDITIONS OF REACTIVITY:	N/A
HAZARDOUS DECOMPOSITION PRODUCTS:	NONE



SECTION 6

ROUTES OF ENTRY:
SKIN CONTACT:
SKIN ABSORPTIONS:
EYE CONTACT:
INHALATION:
INGESTION:

TOXICOLOGICAL PROPERTIES

INGESTION
SEE NOTE
N/A
SEE NOTE
SEE NOTE
NO KNOWN HEALTH HAZARD APPEARS TO BE POSED BY THE INGESTION OF SMALL AMOUNTS OF POLYETHYLENE. A PHYSICIAN SHOULD BE CONSULTED IF LARGE AMOUNTS ARE INGESTED.
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A

EFFECTS OF ACCUTE EXPOSURE:
EFFECTS OF CHRONIC EXPOSURE:
EXPOSURE LIMITS:
IRRITANCY OF PRODUCTS:
SENSITATION TO PRODUCTS:
SYNERGISTIC PRODUCTS:
CARCINOGENICITY:
REPRODUCTIVE TOXICITY:
TERATOGENICITY:
MUTAGENICITY:

SECTION 7

PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: NOT NEEDED (SEE NOTE)
EYES: NOT NEEDED (SEE NOTE)
RESPIRATORY: NOT NEEDED
OTHER EQUIPMENT: NOT NEEDED
LEAK & SPILL PROCEDURE: N/A
WASTE DISPOSAL: DISPOSE WITH GARBAGE TO INCINERATOR OR LANDFILL IN ACCORDANCE WITH FEDERAL, PROVINCIAL, AND LOCAL REGULATIONS, OR WHERE RECYCLING FACILITIES EXIST.
HANDLING PROCEDURE AND EQUIPMENT: NOT NEEDED
STORAGE REQUIREMENTS: GENERAL CONDITIONS.
SPECIAL SHIPPING INFORMATION: NOT NEEDED
SPECIAL PRECAUTIONS: MATERIAL IS SLIPPERY UNDERFOOT.

NOTE:

USE OF PROTECTIVE EQUIPMENT IS A GOOD PRACTICE IN ANY INDUSTRIAL ENVIRONMENT!



13540 East Boundary Road • Building 1, Suite 102 • Midlothian, VA 23112
Office: 804.744.7253 • Fax: 804.744.7420 • BruceMann.kbbp@gmail.com • www.kb-bp.com

SECTION 8

FIRST AID MEASURES

NOTES TO PHYSICIAN: SMOKE AND HAZARDOUS DECOMPOSITION PRODUCTS PRODUCED IN FIRES INVOLVING POLYETHYLENE RESINS CAN BE IRRITATING AND MAY CAUSE PULMONARY EDEMA IN SEVERELY EXPOSED INDIVIDUALS. AS THIS EFFECT MAY BE DELAYED IN ONSET, A 72-HOUR POST-EXPOSURE OBSERVATION IS RECOMMENDED. CARBOXYHEMOGLOBIN LEVELS SHOULD ALSO BE MONITORED TO ASSESS THE DEGREE OF CARBON MONOXIDE ABSORPTION IN THESE INDIVIDUALS.

SECTION 9

PREPARATION OF MSDS

PREPARED BY: QUALITY ASSURANCE DEPARTMENT

DATE: FEBRUARY 8, 2008. REV. 0

SUPERCEDES: N/A

The information presented herein, while not guaranteed, is to the best of our knowledge, true and accurate. No warranty or guarantee expressed or implied is made regarding the performance of any product since the manner of use and handling is beyond our control. Nothing contained herein is to be construed as permissible or as a recommendation to infringe on any patent. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.